



LED TUBE LIGHT WITH DECOBATTEN

Product Code	LDB1860IME
Power consumption	18W
Lumen output from luminaire	1800 lm
Input Voltage	220-240VAC
CCT*	Cool White (6500K)
CRI	80
Beam Angle	> 130 degrees
Working Temperature	-20degC to +45degC
Driver	Integrated
Materials	Aluminium heat sink with frosted polycarbonate diffuser and PVC batten with copper contact holder
IP	IP 20
Dimensions (Length, Dia)	1225mm, T8
Life, L70	50,000 hrs.

Above mentioned Values are under nominal operating voltage range.

*3000K (WW) & 4000K (NW) available on request

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customercare@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



Connect with us on
facebook

<https://www.facebook.com/moserbaerindia>


Disclaimer : Owing to continuous innovation & improvement Moser Baer India Limited reserve the right to make changes in the design/ data/ details without prior notice.



LED BULB

Product Code	LB700500IM	LB70560IM	LB70760IM	LB71060IM
Power consumption	0.5W	5W	7W	10W
Lumen output from luminaire	-	410 lm	520 lm	850 lm
Input Voltage	220-240VAC			
CCT*	 Cool White (6000K)			
CRI	80			
Beam Angle	> 130°			
Working Temperature	-20°C to +45°C			
Driver	Integrated			
Materials	PBT housing with colored diffuser	Aluminium heat sink and frosted polycarbonate diffuser		
Holder	Standard-B22D (Screw type available on request)			
IP Rating	IP 20			
Life, L70	30,000 hrs.			

Above mentioned Values are under nominal operating voltage range.
 *3000K (WW) & 4000K (NW) available on request

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512
 or write to us at customer@moserbaer.in
 YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)  <https://www.facebook.com/moserbaerindia/>

Disclaimer : Owing to continuous innovation & improvement Moser Baer India Limited reserve the right to make changes in the design/ data/ details without prior notice.



LED DOWN LIGHT

Product Code	LDL0660IME	LDL0960IME	LDL1260IME	LDL1560IME	LDL1860IME
Power consumption	6W	9W	12W	15W	18W
Lumen output from luminaire	390 lm	585 lm	780 lm	975 lm	1080 lm
Input Voltage	220V-240VAC				
CCT*	Cool White (6000K)				
CRI	75				
Driver	External				
Materials	Die cast Aluminum heat sink and frosted polycarbonate diffuser				
IP Rating	IP 20				
	Product Dimensions (Round)				
Over all diameter (mm)	150	150	180	180	180
cut out diameter (mm)	100	100	150	150	150
Height (mm)	30	30	30	30	30
	Product Dimensions (Square)				
LXWXH (mm)	130x130x30	130x130x30	180x180x40	180x180x40	180x180x40
cut out (mm)	100x100	100x100	150x150	150x150	150x150
Life, L70	30,000 Hrs				

Above mentioned Values are under nominal operating voltage range.

*3000K (WW) & 4000K (NW) available on request

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customercare@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



<https://www.facebook.com/moserbaerindia>

Disclaimer : Owing to continuous innovation & improvement Moser Baer India Limited reserve the right to make changes in the design/ data/ details without prior notice.

LED FLAT PANEL LIGHT

Product Code	LPLB4060IME	LPLS4060IME
Power consumption	40W (Back-lit)	40W (Side-lit)
Lumen output from luminaire	3500 lm	3600 lm
Input Voltage	220-240 VAC	
CCT*	Cool White (6000K)	
CRI	80	
Driver	External	
Working Temperature	-20degC to +45degC	
Materials	PC Frame with PMMA diffuser	Al Frame with PMMA diffuser
IP Rating	IP 20	
Product Dimension L x B x H (mm)	597(L) x 597(W) x 51(H)	596(L) x 596(W) x 11(H)

Above mentioned Values are under nominal operating voltage range.

*3000K (WW) & 4000K (NW) available on request

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customercare@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



<https://www.facebook.com/moserbaerindia>



LED HIGH BAY LIGHT

Product Code	LHB6560IME	LHB9060IME	LHB15060IME
Power consumption	65W	90W	150W
Lumen output from luminaire	5500lm	8000 lm	12750 lm
Input Voltage	220-240 VAC		
CCT	Cool White (6000K)		
CRI	70		
Light source	COB		
Working Temperature	-20°C to + 55°C		
Driver	Integrated		
IP Rating	IP 65		
Beam angle	60°		

Above mentioned Values are under nominal operating voltage range.

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customer@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



<https://www.facebook.com/moserbaerindia>

Disclaimer : Owing to continuous innovation & improvement Moser Baer India Limited reserve the right to make changes in the design/ data/ details without prior notice.



LED STREET LIGHT

Product Code	LST1060DMS	LST3060IMS	LST6565IMS	LST9060IMS	LST15060IMS
Power consumption	10W	30W	65W	90W	150W
Lumen output from luminaire	750 lm	2200 lm	5200 lm	7200 lm	11250 lm
Input Voltage	12VDC	220-240VAC			
CCT	Cool White (6000K)				
CRI	70				
Driver	Intergrated				
Working Temperature	-20degC to +45degC				
Materials	Die cast Aluminum heat sink and toughened glass				
Light source	High power LED				
Optics	Peanut lens (different profiles available on demand)				
IP Rating	IP 65				
Product Dimension L x B x H(mm)	346 x 132 x 55	388 x 184 x 55	470 x 230 x 55	510 x 210 x 68	670 x 300 x 107
Product Weight (Kg.)	~1.0Kg.	~3.0Kg.	~4.0Kg.	~6.0Kg.	~8.0Kg.

Above mentioned Values are under nominal operating voltage range.

For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customercare@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



<https://www.facebook.com/moserbaerindia>



LED TUBE LIGHT

Product Code	LTL0860IMS	LTL1560IME	LTL1860IME	LDB1860IME
Power consumption	8W	15W	18W	18W (with Decobatten)
Lumen output from luminaire	640 lm	1500 lm	1800 lm	1800 lm
Input Voltage	220V-240VAC			
CCT*	Cool White (6500K)			
CRI	80			
Beam Angle	> 130 degrees			
Working Temperature	-20degC to +45degC			
Driver	Integrated			
Materials	Aluminium heat sink and frosted polycarbonate diffuser			
IP	IP 20			
Holder	Standard (G13)			-
Dimensions (Length, Dia)	600mm, T8	1200mm, T8		1225mm, T8
Life, L70	50,000 hrs.			

Above mentioned Values are under nominal operating voltage range.

*3000K (WW) & 4000K (NW) available on request



For assistance contact toll free no-1800 111113(MTNL/BSNL/Airtel/Reliance Network only) or 011-40594512

or write to us at customercare@moserbaer.in

YOU CAN ALSO BUY YOUR FAVORITE MOSERBAER PRODUCTS AT [HTTP://SHOP.MOSERBAER.IN](http://SHOP.MOSERBAER.IN)



<https://www.facebook.com/moserbaerindia/>

Disclaimer : Owing to continuous innovation & improvement Moser Baer India Limited reserve the right to make changes in the design/ data/ details without prior notice.